


# BM2 BIEMMEDUE

heating, cleaning and drying



## SUSETTE


IDROPULTRICI PROFESSIONALI AD ACQUA CALDA  
PROFESSIONAL HOT WATER HIGH PRESSURE CLEANERS

## SUSETTE - IDROPULITRICI PROFESSIONALI AD ACQUA CALDA

- ACDS: Controllo avanzato con arresto ritardato
  - Pompe a bielle con pistoni in ceramica con testata in ottone
  - Motore 1450 rpm
  - Protezione accoppiamento motore/pompa con speciale sistemi di contenimento del lubrificante
  - Pompe di nuova generazione, ad alto rendimento e ridotta manutenzione
  - Valvola regolazione pressione e produzione vapore
  - Erogazione detergente in alta pressione
  - Vaschetta per l'acqua di alimentazione con rubinetto galleggiante
  - Filtro acqua ispezionabile dall'esterno macchina
  - Caldaia con rendimento superiore a 89%
  - Pre-ventilazione caldaia
  - Controllo perdite
  - Spegnimento automatico per mancanza d'uso dopo 20 min.
  - Predisposizione anticalcare (disponibile kit opzionale di rapida e facile installazione)
  - Protezione termica motore
  - Due ruote libere e due pivotanti con freno
  - Led segnalazione "macchina pronta" e "anomalie"
  - Memorizzazione del tempo di utilizzo della macchina con segnalazione led al raggiungimento della periodo di "manutenzione programmata"
  - Predisposizione per avvolgitubo (optional)
- *ACDS: Advanced Control with Delayed Stop*
  - *Triplex plunger pump with three ceramic pistons and brass head*
  - *1450 rpm motor*
  - *Motor/pump coupling protection with special lubricant retention system*
  - *New generation pumps, high efficiency and low maintenance*
  - *High pressure valve regulation allowing steam production*
  - *High pressure detergent injection system*
  - *Built-in water tank with floating valve*
  - *Water filter, accessible for inspection from the outside of the machine*
  - *Boiler with over 89% efficiency*
  - *Pre-ventilation boiler*
  - *Micro leakage control*
  - *Automatic shutdown if idle for more than 20 min.*
  - *Predisposed for the easy and quick installation of optional limescale prevention kit*
  - *Motor thermal protection*
  - *Two rigid rear wheels and two front swivel casters with brakes*
  - *Warning LED "machine ready" and "malfunction"*
  - *Hour counter device with service alert warning led*
  - *Hose reel (optional)*



Quadro Elettrico 24 V  
24 V Control Panel



## ACCESSORI IN DOTAZIONE / SUPPLIED ACCESSORIES

		N°	MOD.	COD.	DESCRIZIONE - DESCRIPTION
1	Tutti - All	01AC421	Semilancia con Pistola Semilance with trigger in M22 out M22		
2	Tutti - All	01AC402	Lancia - Lance l=70 cm in M22 out 1/4"F		
3	110/13 200/15 150/15	150205 150284 150216	Ugello - Nozzle 1/4"M 25035 Ugello - Nozzle 1/4"M 25045 Ugello - Nozzle 1/4"M 2505		
4	110/13 - 150/15 200/15	01AC401 01AC398	Tubo - Hose l=10 m R1 M22-M22 Tubo - Hose l=10 m R2 M22-M22		
5	Tutti - All	B.RCVR00170	Portagomma innesto rapido 1/2 - Hose connector		
6	Tutti - All	B.RCVR00169	Presca Portagomma 3/4 - Threaded tap adaptor		
7	Tutti - All		Chiave - Key		


## ACCESSORI A RICHIESTA/ ACCESSORIES ON DEMAND

KIT UGELLO STURATUBO PIPE CLEANING KIT	KIT UGELLO ROTANTE TURBO TURBO NOZZLE KIT	KIT SABBIAURA SANDBLASTING KIT
		
<b>Mod.</b> Tutti - All Tubo-Hose (15 m) <b>Cod.</b> 01AC376	<b>Mod.</b> Tutti - All Lancia - Lance (70 cm) <b>Cod.</b> 01AC204	<b>Mod.</b> 110/13 (035) <span style="float: right;">1</span> <b>Cod.</b> 01AC473
<b>Mod.</b> 110/13 Ugello - Nozzle (04) <b>Cod.</b> 01AC471	<b>Mod.</b> 110/13 Ugello - Nozzle (055) <b>Cod.</b> 01AC347	<b>Mod.</b> 150/15 - 200/15 (04) <span style="float: right;">1</span> <b>Cod.</b> 01AC474
<b>Mod.</b> 200/15 Ugello - Nozzle (045) <b>Cod.</b> 01AC403	<b>Mod.</b> 150/15 Ugello - Nozzle (05) <b>Cod.</b> 01AC296	<b>Mod.</b> Tutti - All Ugello Sabbia - Sand Nozzle (ricambio - spare part) <b>Cod.</b> 01AC480 <span style="float: right;">2</span>
<b>Mod.</b> 150/15 Ugello - Nozzle (05) <b>Cod.</b> 01AC403	<b>Mod.</b> 200/15 Ugello - Nozzle (045) <b>Cod.</b> 01AC295	
<b>SABBIA (25 KG)</b> <b>SAND (25 KG)</b>	<b>AVVOLGITUBO IN ACCIAIO INOX</b> <b>AISI 304 - L MAX =30 MT</b> <b>STAINLESS STEEL AISI 304</b> <b>HOSE REEL L MAX = 30 M</b>	<b>SERPENTINA IN ACCIAIO INOX</b> <b>STAINLESS STEEL HEATING COIL</b>
		
<b>Mod.</b> Tutti - All Sabbia-Sand (25 Kg) <b>Cod.</b> 01AC284	<b>Mod.</b> Tutti - All <b>Cod.</b> 01AC467	<b>Mod.</b> Tutti - All <b>Cod.</b> P20212/1

# SUSETTE - IDROPULITRICI PROFESSIONALI AD ACQUA CALDA

## PROFESSIONAL HOT WATER HIGH PRESSURE CLEANERS

<b>TUBO PER BY-PASS VASCHETTA ACQUA</b> <i>BY-PASS PIPE FOR WATER TANK</i>	<b>KIT PROTEZIONE PANNELLO COMANDI</b> <i>CONTROL PANEL PROTECTION</i>	<b>ADATTATORE SCARICO FUMI</b> <i>EXHAUST PIPE ADAPTOR</i>
		
<b>Mod. Tutti - All</b> <b>Cod. 01AC279</b>	<b>Mod. Tutti - All</b> <b>Cod. 01AC35</b>	<b>Cod. B.CRDS00781</b>
<b>TUBO SCARICO FUMI</b> <i>STAINLESS STEEL EXHAUST PIPE</i>	<b>TERMINALE PER CAMINO IN INOX</b> <i>STAINLESS STEEL CHIMNEY POT</i>	<b>KIT ANTICALCARE</b> <i>LIMESCALE PREVENTION KIT</i>
		
<b>Cod. 02AC285</b> l=1m ø150mm	<b>Cod. 02AC282</b>	<b>Mod. Tutti - All</b> <b>Cod. BKTSP00011</b>
<b>IDRO-CALC ADDITIVO ANTICALCARE PER IDROPULITRICI</b> <i>LIMESCALE INHIBITOR FOR H.P. CLEANERS</i>		
		
<b>Mod. Tutti - All</b> <b>Cod. 092P18</b> 01 lt <b>Cod. 092P09</b> 10 lt		



PESI E DIMENSIONI MACCHINA					IMBALLO			
WEIGHTS AND DIMENSIONS MACHINE					PACKAGING			
MOD	A	B	C	Netto/Net	X	Y	H	Lordo/Gross
	[mm]	[mm]	[mm]	[kg]	[mm]	[mm]	[mm]	[kg]
SUSETTE 110/13	920	620	940	120	1.015	660	1.100	138
SUSETTE 150/15	920	620	940	123	1.015	660	1.100	141
SUSETTE 200/15	920	620	940	128	1.015	660	1.100	146

		110/13	150/15	200/15
codice - code		01SA42	01SA43	01SA44
pressione mas. - max. pressure	[ bar ] [ MPa - psi ]	110 11 - 1.600	150 15 - 2.180	200 20 - 2.900
portata mas. - max. flow rate	[ lt/h ]	780	900	900
pompa - pump		IP E2	IP E2	IP E2
sistema di arresto - stop system		ACDS	ACDS	ACDS
rotazione pompa - pump speed	[ rpm ]	1.450	1.450	1.450
potenza assorbita - power rating	[ Kw ]	3,2	4,7	6,5
alimentazione - supply voltage	[ V - ph - Hz ]	230-1-50	400-3-50	400-3-50
temperatura mas. - max. temperature	[ °C ]	140	140	140
serbatoio gasolio - fuel tank	[ lt ]	35	35	35
serbatoio detergente - cleaning agent tank	[ lt ]	5	5	5